

NOV 22 2005



**HAMRE, SCHUMANN,
MUELLER & LARSON, P.C.**
AN INTERNATIONAL INTELLECTUAL PROPERTY LAW FIRM

FAX TRANSMISSION November 22, 2005

TO: Mail Stop: AMENDMENT
Examiner: T. Luu
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

FROM: Douglas P. Mueller

OUR REF: 10873.1319US01

TELEPHONE: (612) 455.3800

Total pages, including cover letter: 5


PTO FAX NUMBER: 571.273.8300

If all pages are NOT received, please call us at 612.455.3800 or fax us at 612.455.3801.

Title of Document: **Amendment**

Applicant: INOKUMA et al
Serial No.: 10/676,136
App. Filed: September 30, 2003
Group Art No.: 2878

Please charge any additional fees or credit overpayment to Deposit Account No. 50-5478. Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers, if appropriate.

By: 
Name: Douglas P. Mueller
Reg. No.: 30,300

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on the date shown below.

Lisa A. Dorn


Signature


Date

225 SOUTH SIXTH STREET · SUITE 2650 · MINNEAPOLIS · MN 55402
TEL 612.455.3800 · FAX 612.455.3801
WWW.HSML.COM · MAIL@HSML.COM

RECEIVED
CENTRAL FAX CENTER

NOV 22 2005

S/N 10/676,136

PATENTIN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Inokuma et al	Examiner:	T. Luu
Serial No.:	10/676,136	Group Art Unit:	2878
Filed:	September 30, 2003	Docket No.:	10873.1319US01
Title:	SOLID STATE IMAGING DEVICE AND EQUIPMENT USING THE SAME		

CERTIFICATE UNDER 37 CFR 1.6(d):

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on November 22, 2005.

By: 

Name: Lisa A. Dorn

Mail Stop AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT AND RESPONSE

Dear Sir:

In response to the Office Action mailed September 6, 2005, please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Remarks begin on page 3 of this paper.